



+ RELAYS, CONTACTORS & SWITCHES  
DIP & SIP SWITCHES



✓ Active

TE CONNECTIVITY (TE)  
DTS4SD=SW DIP 4 POLE  
[Alcoswitch](#) | [Alcoswitch DIP](#)

2-1437583-8  
TE Internal Number: 2-1437583-8  
Alias ID: DTS4SD

[EU RoHS Compliant](#)  
[EU ELV Compliant](#)

**Product Type** Switch  
**Contact Mating Area Plating Material** Gold Flash  
**Housing Color** Black  
**Housing Material** Polyester GF  
**Auto-Insertable** Yes

↓ **PRODUCT DRAWING**  
English

DOCUMENTATION

Product Drawings  
**OUTLINE DRAWING DIPSWITCH DTS\*\*\***  
PDF  
English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.  
Please Note: Use the Product Drawing for all design activity.

Product Type Features

**Product Type** Switch  
**Sealed** Yes  
**Switch Type** DIP  
**Actuator Style** Flush, Slide

Configuration Features

**Number of Switches** 4  
**Configuration (Pole-Throw)** Double Pole - Single Throw

Electrical Characteristics

**Voltage Rating (VDC)** 50

Body Features

**Actuator Color** Ivory  
**Seal Type** Tape

Contact Features

**Contact Mating Area Plating Material** Gold Flash  
**Auto-Insertable** Yes  
**Contact Current Rating (A)** .1  
**Contact Base Material** Copper Alloy

Termination Features

**Termination Post Length** 3.81 mm [ .15 in ]

Mechanical Attachment

**Mounting Type** Through Hole  
**Mounting Angle** Vertical

Housing Features

**Housing Color** Black  
**Housing Material** Polyester GF  
**Centerline** 2.54 mm [ .1 in ]

Dimensions

**Height** 6.5 mm [ .256 in ]  
**Length** 12.29 mm [ .484 in ]

Usage Conditions

**Operating Temperature Range (°C)** -10 – 60

Packaging Features

**Packaging Quantity** 21

PRODUCT COMPLIANCE



Statement of Compliance

**Statement of Compliance**

PDF

---