



NOTES:

- 1. THIS STAINLESS STEEL PUSH-FIT RELECTOR IS DESIGNED WITH AN OPEN/CLOSE DOOR TO EVENLY DISTRIBUTE THE HEAT OVER A LARGE GAUGE WIRE REPAIR SLEEVE KIT.
- 2. MATERIAL: 316 STAINLESS STEEL.
- 3. FINISH: PTFE CDATING.
- 4. HEATING TOOL: LEISTER CV-1987 HOT JET S IS NOT INCLUDED.

TE CONNECTIVITY (LOGO) AND TE (LOGO) ARE TRADEMARKS.
OTHER LOGOS PRODUCT AND/OR COMPANY NAMES MAY BE TRADEMARKS OF THEIR RESPECTIVE.

©2014 TE CONNECTIVITY LTD. FAMILY OF COMPANIES. ALL RIGHTS RESERVED

RAYCHEM APPLICATION EQUIPMENTS
CUSTOMER DRAWING

TYCO ELECTRONICS RESERVES THE RIGHT TO CHANGE THIS DRAWING AT ANYTIME.	DRAWN: DATE: T. NGUYEN 10-08-2014	STF TE CONNECTIVITY
USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.	CHECKED: DATE: 10-08-2014	TE CONNECTIVITY
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS.	APPROVED: DATE: 10-10-2014	TITLE: DD 20 DEELECTOD
TOLERANCES ARE:	CAD FILE NAME:	PR-38-REFLECTOR
.X ± .1 [2.54 mm]	PR-38-REFLECTOR,dwg	
.XX ± .01 [0.25 mm] .XXX ± .005 [0.13 mm]	THIRD ANGLE PROJECTION	SIZE: A CAGE CODE: 06090 DWG. NO. PR-38-REFLECTOR
ANGLES: ± 1°		DO NOT SCALE THIS DRAWING RPN: SHEET: SHEET 1 OF 1 REV. 1.0