


REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
	N/C	INITIAL RELEASE DCO# 00805	10-26-79	R/ab



**NOTES :**

1. MATERIALS
  - 1-A INSULATION SLEEVE; HEAT SHRINKABLE, RADIATION CROSSLINKED MODIFIED POLYVINYLIDENE FLUORIDE, TRANSPARENT BLUE.
  - 1-B SOLDER PREFORM; SOLDER PREFORM WITH FLUX TYPE: Sn63 RMAP PER QQ-S-571.
  - 1-C MELTABLE INSERTS; LOW OUTGASSING IMMERSION RESISTANT THERMOPLASTIC.
2. THIS SLEEVE IS DESIGNED TO ATTACH 20 THROUGH 26 GAUGE TIN PLATED OR SILVER PLATED CONDUCTORS TO THE TERMINALS OF A **Raychem** MTC100 SERIES WAFER.

© Raychem Corporation 1979

## CONNECTOR SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES  
 BRACKETED DIMENSIONS ( ) ARE METRIC AND TOLERANCES ARE:  
 .XXX: ± \_\_\_\_\_ ( M. M. )  
 .XX: ± \_\_\_\_\_ ( M. M. )  
 Δ: ± \_\_\_\_\_

DRAWN	SA. LOPEZ	5-7-79
CHECKED	JB	9-13-79
APPROVED	<i>[Signature]</i>	9-13-79
APPROVED	<i>[Signature]</i>	10-24-79
APPROVED		

**Raychem**  
RAYCHEM CORPORATION  
 300 CONSTITUTION DRIVE  
 MENLO PARK, CALIFORNIA 94025

TITLE  
**SOLDER SLEEVE WIRE TERMINATOR  
 DOUBLE SEAL FOR  
 TEMP RATING 125°C (Sn63) MTC100 SERIES**

SIZE <b>B</b>	CODE IDENT NO. 06090	DWG. NO. <b>CTA-0034</b>
PROJECT 6448-7055	WEIGHT	SHEET 1 OF 1

If this document is printed it becomes uncontrolled.  
 Check with the web for latest revision.

DO NOT SCALE THIS DRAWING