

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

HDMI over Dual Cat5/6 Extender Kit, In-Line Transmitter/Receiver for Video/Audio, IR, Up to 100 ft., TAA

MODEL NUMBER: B125-101-60-IRU





Transmitter and receiver work in tandem to extend HDMI audio/video and IR control signals via Cat5/6 cable to a display up to 100 ft. Ideal for digital signs, schools, retail settings and trade show presentations.

Description

The B125-101-60-IRU HDMI over Dual Cat5/Cat6 Extender Kit includes a transmitter unit and a receiver unit that work in tandem to extend HDMI audio/video and IR control signals to an HDMI projector, monitor or television. The kit is ideal for digital signs, trade shows, presentations, classrooms, churches, retail settings and other applications where the video source is located farther than conventional cables allow.

Use HDMI cables (such as Tripp Lite's P568-Series) to connect the transmitter to the audio/video source and the receiver to the display. Dual Cat5e/6 cables connect the two units (for best results, use 24 AWG solid-wire Cat5e/6 cable, such as Tripp Lite's N202-Series). An included USB Micro-B cable supplies power to either the transmitter or receiver by connecting the unit to a USB Micro-B port or wall charger.

The B125-101-60-IRU can extend a high-definition 1920 x 1080 (1080p) signal up to 100 feet when using 24 AWG solid-wire Cat5e/6 cable. The IR remote control feature lets you control the source, such as a Blu-ray player, using its remote when standing near the remote monitor.

The plug-and-play B125-101-60-IRU supports 7.1-channel surround sound, DTS-HD and Dolby TrueHD audio, as well as EDID passthrough and HDCP. Easy to set up with no software or drivers to install. Works with all operating systems and HDMI sources.

Features

Extends HDMI Video/Audio and IR Control Signals to an HDMI Display

- Extends an HD 1920 x 1080 (1080p) signal up to 100 ft. via 24 AWG solid-wire Cat5e/6 cable
- Ideal for digital signs, trade shows, presentations, classrooms, churches and retail settings

Highlights

- Supports high-definition video resolutions up to 1080p (@ 60 Hz)
- Supports 7.1-channel surround sound, DTS-HD and Dolby TrueHD
- Supports EDID passthrough, HDCP and 3D video
- USB Micro-B cable supplies power to either unit
- Plug and play—no software, drivers or external power supplies

System Requirements

- Computer, Blu-ray player or other source with HDMI port
- Display with HDMI port

NOTE

Package Includes

- Transmitter unit
- Receiver unit
- IR-TX cable, 5 ft.
- IR-RX cable, 5 ft.
- USB Micro-B cable, 3 ft.
- Owner's manual



- Transmitter and receiver connect with dual Cat5e/6 cables (for best results, use Tripp Lite's N202-Series)
- Supports 7.1-channel surround sound, DTS-HD and Dolby TrueHD audio
- Supports EDID passthrough and HDCP
- IR remote control functionality lets you control Blu-ray player with its remote while standing at remote monitor

Easy to Set Up and Use

- Plug-and-play engineering—no software, drivers or external power supply
- Powered via included USB Micro-B cable
- Units connect quickly to source and display with HDMI cables (such as Tripp Lite's P568-Series)
- LEDs indicate when units are receiving power and a signal from the source
- Works with all operating systems and HDMI sources

TAA Compliant

• Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW		
UPC Code	037332190468	
PHYSICAL		
Color	Black	
Shipping Dimensions (hwd / cm)	19.99 x 14.20 x 4.39	
Shipping Dimensions (hwd / in.)	7.87 x 5.59 x 1.73	
Shipping Weight (kg)	0.28	
Shipping Weight (lbs.)	0.62	
COMMUNICATIONS		
Max 1024 x 768 Range (ft)	100	
Max 480P Range (ft)	100	
Max 1440 x 900 Range (ft)	100	
Max 1080i Range (ft)	100	
Max 1080P Range (ft)	100	
Max 480i Range (ft)	100	
Max 640 x 480 Range (ft)	100	



Max 800 x 600 Range (ft)	100	
Max 1600 x 1200 Range (ft)	100	
Max 720P Range (ft)	100	
CONNECTIONS		
Ports	1	
Side A - Connector 1	HDMI (FEMALE)	
Side A - Connector 2	(2) RJ45 (FEMALE)	
Side A - Connector 3	USB A (MALE)	
Side B - Connector 1	HDMI (FEMALE)	
Side B - Connector 2	(2) RJ45 (FEMALE)	
FEATURES & SPECIFICATIONS		
Technology	HDMI; IR	
WARRANTY		
Product Warranty Period (Worldwide)	1-year limited warranty	

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies