

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

# 2-Port USB 2.0 Desktop Extension Cable (M/2xF), 5 ft.

MODEL NUMBER: U024-005-DSK2









Converts your computer's USB-A port to 2 USB-A ports and extends them up to 5 ft away. Ideal for connecting thumb drives, digital cameras and other USB-A devices.

### Description

Connect the U024-005-DSK2 2-Port USB 2.0 Hi-Speed Desktop Extension Cable (M/2xF) to your computer's existing USB-A port to add an extra USB port and extend both ports up to five feet away. This flexibility allows you to place the cable's desktop hub with two female USB 2.0 ports within easy access next to your keyboard, on a nearby shelf, behind a monitor or anywhere else you find convenient. It's especially recommended for moving a rear USB port somewhere easier to access. A black padded base provides stability.

The U024-005-DSK2 features one standard USB 2.0 data/power port and one power-only port. It supports data transfer rates up to 480 Mbps for both low- and high-speed devices, including multimedia applications. Premium foil and braid shielding delivers reliable, error-free signal quality and protection from EMI/RFI line noise. Molded nickel-plated connectors with gold-plated contacts ensure excellent conductivity. Integral strain relief ensures the cable and connectors last a long time. A rugged PVC jacket protects twisted 28 AWG data lines and 24 AWG power lines.

### Features

Expands an Existing USB-A Port to 2 Ports and Extends Them an Extra 5 ft.

- Move a hard-to-reach USB port within easy access
- Ideal for connecting external hard drives, thumb drives, digital cameras and other USB-A devices
- Features one USB 2.0 data/power port and one power-only port
- Supports data transfer rates up to 480 Mbps
- Backward compatible with earlier USB generations

## Highlights

- Features one USB 2.0 data/power port and one poweronly port
- Supports data transfer rates up to 480 Mbps
- Premium foil and braid shielding
- Backward compatible with earlier USB generations
- Twisted 28/24 AWG data/power lines

## System Requirements

 Computer, laptop or other device with USB-A port

## Package Includes

U024-005-DSK2 2-Port USB 2.0
Hi-Speed Desktop Extension
Cable (M/2xF), 5 ft.

First-Rate Construction for Superior Signal Transfer



- Premium foil and braid shielding for EMI/RFI noise protection
- Molded nickel-plated connectors for optimal signal quality
- Integral strain relief for long life
- Twisted 28/24 AWG data/power lines
- Flexible PVC jacket easy to install in tight spaces
- Black padded non-sliding base

## **Specifications**

| OVERVIEW                                 |                              |  |
|--|------------------------------|--|
| UPC Code                                 | 037332199348                 |  |
| INPUT                                    |                              |  |
| Cable Length (ft.)                       | 5                            |  |
| Cable Length (m)                         | 1.5                          |  |
| PHYSICAL                                 |                              |  |
| Cable Jacket Rating                      | VW-1                         |  |
| Cable Outer Diameter (OD)                | 4.5mm                        |  |
| Color                                    | Black                        |  |
| Material of Construction                 | PVC                          |  |
| Shipping Dimensions (hwd / cm)           | 13.49 x 10.01 x 1.27         |  |
| Shipping Dimensions (hwd / in.)          | 5.31 x 3.94 x 0.50           |  |
| Shipping Weight (kg)                     | 0.09                         |  |
| Shipping Weight (lbs.)                   | 0.20                         |  |
| Unit Packaging Type                      | Polybag                      |  |
| ENVIRONMENTAL                            |                              |  |
| Operating Temperature Range              | 32 to 104 F (0 to 40 C)      |  |
| Storage Temperature Range                | 14 to 131 F (-10 to 55 C)    |  |
| Relative Humidity                        | 5% to 90% RH, Non-Condensing |  |
| Power Provided to Connected<br>Device(s) | Up to 5V 0.5A (2.5W)         |  |
| CONNECTIONS                              |                              |  |
| Side A - Connector 1                     | USB A (MALE)                 |  |
| Side B - Connector 1                     | (2) USB A (FEMALE)           |  |



| Connector Plating                      | Nickel                    |  |
|--|---------------------------|--|
| Connector Plating                      |                           |  |
| Contact Plating                        | Gold                      |  |
|  |                           |  |
| FEATURES & SPECIFICATIONS              |                           |  |
| USB Specification                      | USB 2.0 (up to 480 Mbps)  |  |
| Technology                             | USB; USB 2.0 (High Speed) |  |
|  |                           |  |
| CERTIFICATIONS                         |                           |  |
| Certifications                         | Tested to RoHS, REACH     |  |
|  |                           |  |
| WARRANTY                               |                           |  |
| Product Warranty Period<br>(Worldwide) | Lifetime limited warranty |  |

© 2020 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies